


NOTES:

1. DEPTH COVER TO BACK: 16.22 [411.9]
2. APPROXIMATE WEIGHT PER STACK:
4 HIGH: 836 lbs [380 kg]
3. USE M6 X 25 BOLTS IN ALL POSTS UNLESS OTHERWISE NOTED.



REVISIONS					
ECO NO.	REV	DESCRIPTION	DATE	DRAFT	APPRV
11200126	-	NEW RELEASE	11/06/17	DHS	PWM

48	W02-062501	BOLT M6 X 25 A2	NOT SHOWN	12
48	W03-0601	WASHER M6 X 6.4 17.0 3.0 A2	NOT SHOWN	11
1	K17-TPCOV707A	KIT COVER AGP-07 TOP ASSY CLEAR	NOT SHOWN	10
3	K17-ISCOV707A	KIT COVER AGP-07 STD ASSY CLEAR	NOT SHOWN	9
3	K17-417000	KIT HARDWARE MECH INTERMOD		8
1	K17-417026	KIT HORIZONTAL SUPPORT		7
1	K17-417002	KIT TERMINAL PLATE LOW 2POST	NOT SHOWN	6
1	K17-400403	KIT AGP ACCESSORY	NOT SHOWN	5
3	L17-109209-010	CONNECTOR .75 X .06		4
4	L17-109209-004	CONNECTOR .75 X .06		3
16	L17-109209-002	CONNECTOR .75 X .06		2
4	M52-605007 (M53-605007)	006AGP 05007W -+---+-		1
X	M87-024-05007-014AFL(V)	24-50G07 LOW		X
QTY	PART OR IDENT NO	NOMENCLATURE OR DESCRIPTION	REMARKS	ITEM

PARTS LIST

<p>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:</p> <table border="1"> <thead> <tr> <th>DECIMALS</th> <th>[MM]</th> <th>FRACTIONAL</th> <th>ANGLE</th> </tr> </thead> <tbody> <tr> <td>.X±</td> <td>X±</td> <td>±</td> <td>±</td> </tr> <tr> <td>.XX±</td> <td>0.X±</td> <td></td> <td></td> </tr> <tr> <td>.XXX±</td> <td>0.XX±</td> <td></td> <td></td> </tr> </tbody> </table> <p>DO NOT SCALE DRAWING</p>		DECIMALS	[MM]	FRACTIONAL	ANGLE	.X±	X±	±	±	.XX±	0.X±			.XXX±	0.XX±			<p>THE USE OF INFORMATION CONTAINED HEREIN IS RESTRICTED FOR THE BENEFIT OF STRYTEN MANUFACTURING LLC ONLY. UNAUTHORIZED USE OR DISCLOSURE, COPYING OR OTHERWISE REPRODUCING (IN ANY MANNER) ANY PORTION OF THIS DRAWING WITHOUT PRIOR WRITTEN PERMISSION OF AN AUTHORIZED OFFICIAL OF STRYTEN MANUFACTURING LLC, IS PROHIBITED.</p>			
DECIMALS	[MM]	FRACTIONAL	ANGLE																		
.X±	X±	±	±																		
.XX±	0.X±																				
.XXX±	0.XX±																				
<p>MATERIAL: V/O SYSTEM DENOTED BY ()</p>		<p>DRAWN D. STEVENS 11/06/17 CHECK P. MATTALIANO 11/06/17 DESIGN P. MATTALIANO 11/06/17</p>		<p>TITLE 24 CELL ABSLOYTE 50G07 (V/0) 1 STACK/4 HIGH 3 HOURS OR LONGER BACKUP TO 1.75 VPC</p>																	
<p>PROCESS:</p>		<p>THIRD ANGLE PROJECTION CAD REFERENCE CREATED WITH AC</p>		<p>SIZE B</p>	<p>CAGE CODE 88219</p>																
<p>REMOVE ALL BURRS AND BREAK SHARP EDGES</p>		<p>DIMENSIONS IN [] ARE MILLIMETERS</p>		<p>DRAWING NO. 439061</p>	<p>REV -</p>																
<p>SCALE: 3/32</p>				<p>THIS DWG. SUPERCEDES</p>	<p>SHEET 1 OF 1</p>																

Z66-439061	AA
M87-024-05007-014AFLV	AA
M87-024-05007-014AFL	AA
PART NUMBER	PART REV